

PERFORMANCE EXPLANATION nr 005/2017/E
Roof window Skylight Premium Termo

1. Product ID code: **Roof window Skylight Premium Termo**
2. Number ODD1T
3. To using: **Roof windows for use in residential buildings**
4. Manufacturer: **DOBROPLAST Fabryka Okien Sp. z o.o.,
Stary Laskowiec 4, 18-300 Zambrów
Zakład produkcyjny: Zakład Lublin
ul. Vetterów 7, 20-277 Lublin**
5. Npd
6. System for evaluating consistency of performance: **Quality Control System**
7. Harmonized standard: **PN-EN 14351-1+A2:2016**
8. **Notified Body: CENTRUM STAVEBNIHO INZENYRSTVI a.s. Zlin, K Cihelne 304,
763 42 Zlin - Louky, Czechy. Mobilne Laboratorium Techniki Budowlanej
Sp. z o. o. ,58-300 Wałbrzych, ul. J.Kasprowicza 21**
9. Performance of product

Parametr	Wartości parametrów dla okna Skylight
Resistance to load wind	Klasa C3
Resistance to snow	4H-16-4T
Fire behavior	npd
Resistance to external fire	npd
Watertightness	Class E750
Impact resistance [mm]	Class 3 - 450 mm
Payload of safety devices [N]	350
Thermal transmittance U_m [W/m ² K] Referenz Window 780x1400	1,3
g	0,58 - 0,63
tv	0,77 - 0,84
Permability to air	Class 2
Noise abatement [dB]	33 (-1;-3)

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Signed for and on behalf of the manufacturer

Lublin – March 2020
(place of issue)

Damian Chodorowski

Specjalista ds.
przygotowania produkcji
Damian Chodorowski